. "		Approved For Release 2902/08/26 : CIA-RDP70-00211R000200150047-1
		Chief, Kanagement Staff 19 December 1956
		Chief, OSM Staff (ID/S Area)
		Work Report for Period 13 December 1956 through 19 December 1956
1.	Ace	complishment
		% 5-18, Comptroller, Study of Technical Accounting Staff. The staff was found to be Madequate in size. Recommended that the T/S mission
		be reviewed and revised to delineate TAS responsibilities from those of other ED/S senior elements; and that TAS refer back to the originator for re-assignment to the staff having major interest any project not qualifying as a major responsibility of TAS DD/S)
A 9/	p.	MS 6-19, OTR, Re-evaluation of OTR Clerical Training Study completed.
1A9	e. 9A	A consolidated Project Control and Completion Report for Nanagement Staff assignments was coordinated. This form can be used by the OdM, Records Management and Business Machine Staffs. One form is eliminated by the consolidation. ————————————————————————————————————
	d.	Determined that annual leave forfeited by Agency vouchered personnel for calendar year 1955 amounted to 2h,367 hours.
2.	<u> </u>	dements (Active)
A 94		System. Comptroller, Review of Work Measurement - DD/S) 24 December 1956
9A	ъ.	Positions and Ceiling.
\9A		7 transfers, 2 UV to V, 7 changes involving and h upgradings ED/E) 15 Jamuary 1957
494		TAS/Comptroller, Analyse 25X

SECRET

Preparation of Management Staff Annual Accom-

plishment Report.

25X1A9A

25X1A9A

25X1A9A

25X1A9A

25X1A9A

25X1A9A

25X1

25X1A9A

15 January 1957

- (1) (1)

Approved For Release 2002/08/26 : CIA-RDP70-00211R000200150047-1

3.	ASS	ignments (Insctive)	-	arget Date	
25X1A9A		MS 5-38, T/O System Analysis, Manpower Control DD/S)	15	Jamery 19	57
25X1A9A	b.	Area Instruction DD/E)	31	January 19	57
25X1A9A	G.	Payroll Branch 10/8)	15	January 19	57
25X1A9A	4.	of Personnel (Readquarters & Field) and for the Maintenance of Firm Controls for Head-quarters Ceiling DD/5)	15	January 19	57
25X1A9A	••	6-72, OTR, Review OTR Library Pacilities.	26	February 1	957
1.		dnies.			
	ilo				

25X1A9